

ORAC
CORPORATION

30 years
OF



ORAC DECOR



ORAC MYLINE



ORAC AXCENT

THE ART OF DECORATION



ORAC

CORPORATION

catalogue 2007
ORAC Decor - ORAC Myline - ORAC Axxent



CORNICE MOULDINGS

ORAC DECOR	22
ORAC MYLINE	28
ORAC AXXENT	30



PANEL MOULDINGS

ORAC DECOR	34
ORAC MYLINE	38
ORAC AXXENT	40



SKIRTING

ORAC MYLINE	38
ORAC AXXENT	42



ORAC FLEX



PANELLING



BYBLOS



DOOR FRAMES

ORAC DECOR	50-51
ORAC AXXENT	50



PEDIMENTS



CEILING MEDALLIONS



CEILING ORNAMENTS

tiles	56
domes	57



LIGHTING

fixtures	58
indirect - Decor	59
indirect - Myline	60
Xinnix®	62
LEDs	63



SHELVES AND CORBELS



NICHES



DECORATIVE ELEMENTS

mantel pieces	68
wall decoration	69



PILASTERS




COLUMNS

full	74
half	76
segmented XL	78



MARKETING TOOLS



TOOLS ADHESIVES



ORAC DECOR®
COLLECTION

Exclusivity & Creativity

The most complete range of high quality decorating items in Purotouch®.

ORAC MYLINE

A pure, sober collection. Ideally suited for an environment in which austerity rhymes with subtlety. And beauty with functionality.



ORAC AXXENT®
COLLECTION

Quality & Atmosphere

A range with an exceptional value for money.
Manufactured in Duropolymer®.



IL003 in SX118



L600, SX104

CONTEMPORARY



C358

SX104



C352, P5050, 2xL600, SX104



C360, P5050



C357



C333, B418



CX126, PX116, SX125

CONTEMPORARY



C352



DX119

PX120

SX118

C O U N T R Y S T Y L E



H101, C400, P9040, E20, G40/41



PX113, PX103, SX118



P8040, P8020, SX118



P9010

P9050

SX105

H100

C O U N T R Y S T Y L E



C333



L506, R40, C240



D130, D1014



C422, Byblos, P9010



K1122



2xP4020, C901, P7020, G40/41

C334



C332

T R A D I T I O N A L C H I C



3xP4020, GB03



C422



Byblos, K223, K220



C334, R09



C334, K223, K220



P7040, D503, SX118

T R A D I T I O N A L C H I C



C900 + P4020

D401 + D402 + K200 + D320

P7030

SX118 + DX121



DX119 L600 SX105

ARTISTIC LIVING



P3020, R12, C214



CX123, PX120, PX103, SX105



C305+C215, P8020, D506 ...




CX108, SX118



C217 P9010 P9050 SX118

ARTISTIC LIVING




DX119, PX120, SX118



CX126




R09, CX126, P9010



P7060 D210



smooth



Exclusivity & Creativity

* see indirect lighting, page 59



ref+F = available in Flex, see page 44

smooth

ornamented

CORNICE MOULDINGS




L: 200cm



* see indirect lighting, page 59

Exclusivity & Creativity

ref+F = available in Flex, see page 44



C360
C360F



C356
C356F



C355
C355F




C353
C353F




C354
C354F




C351*



C352*



C357*



C358*



C355

C353

C354

C351


C351, C356


C354

ref+F = available in Flex, see page 44.
For ORAC Myline panel mouldings and skirting, see page 38.






* see indirect lighting, page 60

smooth





CORNICE MOULDINGS



smooth

with corner elements

PANEL MOULDINGS

L: 200cm



P9050/P9050F



P5021/P5021F



P9040/P9040F



P7070/P7070F



P5020A
9 x 9 x 1,5cm

P5020B
9 x 9 x 1,5cm


P5020/P5020F



P9010/P9010F



P9020/P9020F



P8040/P8040F

1,5
2,5

1
3

2,5
5

2
7,5

1,5
9

3
9

2
9,5

2
10



P4020/P4020F



P4020A
16,5 x 7 x 3cm



P4020A
16,5 x 7 x 3cm



P8020/P8020F



P801C
20 x 8,5 x 2,5cm



P801B
20 x 8,5 x 2,5cm




P8030/P8030F




P8030C
19 x 5,5 x 1,5cm



P8030B
19 x 5,5 x 1,5cm



P8030D
13 x 13 x 1,5cm



A x B x C (cm)

3
5

2,5
6

1,5
4



P8020, C305




P8020



3 x P4020



P8020, P8040



P8030(D), P4020, P20



P801C, P8020

ornamented

with corner elements

PANEL MOULDINGS

L: 200cm



P7050/P7050F



P3020/P3020F



P7060/P7060F



P7040/P7040F




P7030/P7030F



P7010/P7010F



P7020/P7020F



P7080/P7080F



P5010A
9 x 9 x 1,5cm



P5010/P5010F



P20
Ø6,5 x 1cm



P1020/P1020F

P101A
25 x 25 x 2,5cm



P21
6,5 x 6,5 x 1cm



P2020/P2020F

P201A
25 x 25 x 2,5cm



P6020/P6020F



P8040, P21

P7080, PX103

P2020

P7030

P7020, 2 x P4020

P7060

Exclusivity & Creativity

ref+F = available in Flex, see page 44

PANEL MOULDINGS

L: 200cm

SKIRTING



P5051
P5051F



P5050
P5050F



C353, P5051



C355, P5050



C353, P5051



C360, P5050



C356, P5050, P5051



C354



C351



C355



C353



C356, C351



C354



P5050

ref+F = available in Flex, see page 44

with corner elements



PX116



PX117



PX130




PX131



PX113



PX114



PX102



PX103A
19 x 3,5 x 1,3cm

PX120A
19 x 5,7 x 2cm

PX103

PX120




D200
9,5 x 9,5 x 3cm

D210
9,5 x 9,5 x 3,5cm



PX147 L: 200cm



DX119-2300 L: 230cm



DX121-2300 L: 230cm



PX120

DX119, D200

C322, SX118, PX147





CX132




CX133




SX125




SX122




SX105/SX105F*




SX137



SX138



SX118/SX118F*



SX104



CX132




SX104



SX138




PX114, SX118, DX119



IL003**, SX118

* SX105 and SX118 also available in Flex, see page 44

** for LED IL003, see page 63




Flexible mouldings, available in all our existing **ORAC Decor** cornice and panel designs (+ SX105 and SX118 **ORAC Axxent**), give another dimension to your interior or exterior. Any curved wall can be beautifully decorated using these ORAC-Flex products. Please consult our radius applications-sheet or call for technical assistance. Use DecoFix Extra and Deco-Fix 2in1 for perfect installation (see page 79). Installation instructions are available. Length of moulding: 2 m.

Ref	Rmin (meter)
C200F	1,5
C201F	1,4
C211F	3,2
C212F	1,4
C213F	2,3
C214F	1,1
C215F	1,7
C216F	3,4
C217F	3,4
C218F	3,7
C219F	2,9
C220F	2,9
C230F	1,1
C240F	2,3
C250F	1,1
C260F	1,5
C300F	3,4
C301F	3,0
C302F	2,1
C303F	1,8
C304F	1,7
C305F	2,9

Ref	Rmin (meter)
C307F	4,6
C308F	1,4
C321F	1,4
C322F	1,2
C331F	4,6
C332F	4,9
C333F	3,7
C334F	4,1
C353F	2,9
C354F	2,9
C355F	2,9
C356F	2,9
C360F	2,9
C400F	3,2
C401F	1,8
C402F	1,8
C422F	3,7
C602F	1,4
C900F	4,0
C901F	3,7
C902F	4,0


Ref	Rmin (meter)	R*min (meter)
P1020F	0,3	0,8
P2020F	0,3	0,8
P3020F	0,9	1,8
P4020F	0,9	0,9
P5010F	0,5	2,7
P5020F	0,5	2,7
P5021F	0,3	0,8
P5050F	0,5	4,6
P5051F	0,5	4,6
P6020F	0,5	1,5
P7010F	0,3	3,0
P7020F	0,3	2,9
P7030F	0,3	1,5
P7040F	0,5	1,8
P7050F	0,5	1,5
P7060F	1,5	1,8
P7070F	0,5	2,7
P7080F	0,5	/
P8020F	0,5	1,4
P8030F	0,3	0,6
P8040F	0,3	2,9
P8050F	0,3	2,7
P8060F	0,3	3,0
P9010F	0,5	2,6
P9020F	0,5	2,7
P9040F	0,5	0,9
P9050F	0,3	0,8
SX105F	0,5	/
SX118F	0,5	/

ORAC Axxent®






D500 55 x 75 x 1,5 cm



D504 55 x 22 x 1,5 cm



D503 55 x 55 x 1,5 cm



D505 57 x 12 x 1,5 cm



D507 55 x 90,5 x 1,5 cm








D506 43 x 43 x 1,5 cm



F30 60 x 60 x 4 cm



F31 60 x 60 x 6,5 cm




Byblos




Byblos



Byblos





D120
124/113 x 25 x 9 cm



D400
127,5/122 x 14,5 x 5,5 cm




D401
127,5/122 x 14,5 x 5,5 cm



D400 + D402
127,5/122 x 14,5 x 5,5 cm



2 x D401 + D402
max. 245,5/240 x 14,5 x 5,5 cm



D402
12/7 x 14,5 x 6 cm
(only for D400 and D401)



D130
116,5/110,5 x 36 x 6 cm



D140
99 x 32 x 2 cm



D150
100,5 x 15,5 x 1,5 cm



D160
91,5 x 37 x 4 cm



D161
92 x 21,5 x 4 cm



D170
105 x 25 x 3,5 cm



D401, D402



D120, D130



D130, D1014



R35
ø22cm



R10
ø15cm



R11
ø19cm



R12
ø20cm



R13
ø28,5cm



R50
ø32cm



R14
ø33,5cm



R31
ø38,5cm



R61
ø40cm



R16
ø45cm



R17
ø47cm



R18
ø49cm



R46
ø53,5cm



R22
77 x 52,5cm



R77
ø62cm



R74
ø65,5cm



R52
ø69,5cm



R38
ø71cm



R28
ø68,5cm



R73
ø70cm



R23
ø71,5cm



R12



R18



R38

ornamented

smooth

CEILING MEDALLIONS



R27
ø75cm



R75
ø75,5cm



R24
ø79cm



R37
ø85cm



R64
ø95,5cm



R07
ø26cm



R08
ø38cm



R09
ø48,5cm



R66
ø54,5/43cm



R76
ø62cm




R40
ø74,5cm



R64



R09



R40

Exclusivity & Creativity


ceiling tiles




F30
60 x 60 x 4 cm



F31
60 x 60 x 6,5 cm



F32
60 x 60 x 0,4 cm



F33
60 x 30 x 0,4 cm

domes


CEILING ORNAMENTS





F10



F11



F12






L504
30,5 x 15 x 15cm



L505
41 x 11,5 x 16,5cm



L512
30,5 x 12,5 x 15,5cm



L509
29 x 17 x 14,5cm



L510
35,5 x 19 x 14cm



L501
35 x 22 x 16cm





L506
39 x 15,5 x 19cm



L508
33 x 21,5 x 14cm



L511
27 x 26 x 14cm



C901



C901



C902



max.
9W/230V




max.
60W/230V
halogen



max.
60W/230V

technical information on
www.oracdecor.com.
Lightbulbs not supplied by ORAC.



A x B x C (cm)

See next page for lightplates.




IL100
set 2m, 14 sockets incl.




IL110
15 x lamp, Vacuum 10W, 12V


Exclusivity & Creativity




C351



C352



C357



C358



IL001-004
light plate 2230mm
dimmable - T5 2x28W

IL001-002
light plate 550mm
dimmable - T5 1x14W

Lightplates to use with C900, C901, C902, C351, C352, C357, C358.
Check detailed installation instructions in packaging, for more
information about number of lightplates, connection to the main
electricity supply and wiring chart.

technical information in USER MANUAL and on
www.oracdecor.com.
Lamps not supplied by ORAC.



IL000-001 5 x plexi cover for C357, 100cm
IL000-002 5 x plexi cover for C358, 100cm



C352



C352




C357

L600-001

for compact fluorescent ¹⁾
18W
Up & down light

19,5 x 34 x 8,5 cm



L600-002

for halogen lamp ²⁾
60W or 100W
Uplight only

19,5 x 34 x 8,5 cm




L601-001

for MycroLynx F 7W (white & color) ³⁾
or MycroLynx LED (white & color) ⁴⁾

10 x 9 x 10 cm



IL003
(in SX118)



L600, SX104

L601

IL003 in SX118



1)

2)

technical information in USER MANUAL and on
www.oracdecor.com.
Lightbulbs/lamps not supplied by ORAC.



3)

4)


Use IL003 for example in C220, C305, C400, C354, P5050, P5051,
SX104, SX105, SX118, SX137, SX138, Tfo6, ...



IL003-001
set of 5 LED inserts, 1W
Ø4 cm x 9 mm
+ converter max. 5 units
+ 5 cables 1m




IL003-002
power converter
max 40 units



IL003-003
extension cable
1x (1+2+3m)


IL003-004
multi-connector
5 x Y-connector

Exclusivity & Creativity




A x B x C (cm)
AA x CC (cm)

B418
46 x 8 x 12 cm ↑
31 x 4,5 cm ↓



B417
90,5 x 13,5 x 14 cm ↑
75 x 6 cm ↓



B410
19,5 x 50 x 16 cm



B412
20 x 35 x 20 cm



B415
26 x 32,5 x 13 cm



B409
30 x 35 x 17,5 cm



B413
16 x 22,5 x 8,5 cm



B414
10 x 22 x 7 cm



B408
22,5 x 40 x 13 cm



B404
19,5 x 31,5 x 11,5 cm



B403
19 x 19 x 10 cm



B402
9 x 22 x 7 cm



B401
11,5 x 15,5 x 7 cm



B403

B401

B410




N301
29 x 52,5 x 8 cm
AA = 14,5 cm

N302
28 x 55 x 10,5 cm
AA = 17 cm



N303
68 x 108 x 24 cm
AA = 43 cm





(cm)	A	B	C	AA	BB
N403	43,0	70,5	10,0	26,5	55,0
N404	42,0	76,0	11,0	24,5	55,0
N503	69,0	112,5	11,0	51,5	94,5
N504	69,0	113,0	11,0	49,5	94,5
(cm)	F	G	H	FF	GG
N410	31,0	59,5	9,5	28,0	58,5
N510	55,0	98,5	18,0	53,0	96,0
N520	55,0	97,5	18,0	53,0	92,0



mantel pieces

wall decoration

DECORATIVE ELEMENTS



H101





H100



E20, G50, G51

The mantelpieces are **only decorative elements**. They can only be applied with electrical fires (max. 2-3kW).









XL-segmented column

ORAC DECOR[®]
COLLECTION




5 x K4002
+ K4132 + K4122 = 4,09 m




4 x K4002
+ K4132 + K4122 = 3,39 m




3 x K4002
+ K4132 + K4122 = 2,69 m




MARKETING PRODUCTS



A61



A11



A63



A81



A83



A74 - "MASTER COLLECTION" (OD, OA, OM)



A64



A45 - "THE BEST OF" (OD, OA)

Exclusivity & Creativity



FB13



FB300



FB10 Variomatic



FB14



FDP100



A24

ORAC ornaments are unbreakable, light and easy to install. They are processed in the same way as light wood and finished with a quality primer. You will find all the technical information on our website. Guarantee Terms and Conditions apply provided instructions have been followed to the letter. Check the measurements of the ornaments on the premises before you start installing them, there may be some discrepancies or changes in sizes against those stated in the catalogue.

FIRE RETARDANT STANDARDS
In many interiors and projects strict fire regulations are imposed. Therefore, ORAC has elaborated a number of solutions depending on the country and its regulations. Please contact our engineering department for more detailed requests.

You will find further product information and safety regulations in our Product Info Brochure and on www.oracdecor.com.



DecoFix Pro

FDP500 310ml 7 à 8m
FDP600 2700ml ± 48m

DECOFIX PRO
Extra strong
installation adhesive

A slow-drying EXTRA STRONG glue that ensures a long lasting seal between the mouldings and the wall and/or the mouldings and the ceiling (for both Decor and Axxent ranges). It can be painted after hardening (24 hrs).



DecoFix 2in1

FDP800 310ml 7 à 8m

DECOFIX 2in1
Installation adhesive and
joint filling product

A slow-drying glue that ensures a long lasting seal between the mouldings and the wall and/or the mouldings and the ceiling (for both Decor and Axxent ranges). The adhesive can also be used as a filling product and can be removed with water. It can be painted after hardening (24 hrs).



DecoFix Hydro

FDP700 290ml 7 à 8m

DECOFIX HYDRO
Installation adhesive and
joint filling product
for exterior applications

Use DecoFix Hydro for exterior applications and in damp environments instead of DecoFix 2in1.




DecoFix Extra

FX200 310ml ± 150m
FX210 80ml ± 40m

DECOFIX EXTRA
Joint adhesive

A glue for seam joints between the mouldings (for both Decor and Axxent ranges). Any excess of DecoFix Extra can be removed preferably before hardening (with acetone). It can be sanded after hardening (at least two hours). The adhesive can be painted after 24 hrs.



40-70%



+5°C



10-35°C



This catalogue and the designs embodied within are protected by copyright law and international treaties. Unauthorized reproduction of the catalogue or any portion of it or reproduction of any of the designs embodied therein may result in severe civil and criminal penalties and will be prosecuted to the maximum.

All rights reserved. ©2007, ORAC n.v.

Layout: FABworks.be

Headquarter

nv ORAC sa

Oudenburgsesteenweg 90

B-8400 Oostende

Tel: +32 (0)59-803 252

Fax: +32 (0)59-802 810

sales@oracdecor.com



CONTEMPORARY



COUNTRY STYLE



TRADITIONAL CHIC



ARTISTIC LIVING

www.oracdecor.com